

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	4	(authoriz\$5 NEAR server) WITH control WITH access WITH resource AND ((709/203,217,219,220,223,225,226,227,228,229). CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/06 10:06
S24	13	(authoriz\$5 NEAR server) WITH control WITH access WITH resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/06 10:05
L3	8	network SAME (resource WITH (access OR control)) SAME configuration SAME driver AND ((access NEAR2 (level OR privilege OR right)) AND (709/203,217,219,220,223,225,226,227,228,229). CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:04
L2	4	network SAME (resource WITH (access OR control)) SAME configuration SAME driver SAME (access NEAR2 (level OR privilege OR right))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:04
S5	18021	(709/203,217,219,220,223,225,226,227,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:03
S27	371	access NEAR3(secured OR restricted) NEAR2 (resource OR printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/06 09:54
S28 8	31	S282 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 7	23	S283 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 6	5	S282 AND S283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 5	5	S282 AND S283 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S28 4	24043	network NEAR2 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 3	87	driver NEAR2 administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 2	31	network NEAR2 resource NEAR2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 1	44	(user NEAR2 access NEAR2 level)SAME (network NEAR3 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S28 0	23	(user NEAR2 access NEAR2 level)WITH (network NEAR3 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 9	98	(user NEAR2 access NEAR2 level)WITH resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 8	2113	user NEAR2 access NEAR2 level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 7	6	((Authorization AND authentication) NEAR2 server) AND (resource NEAR2 record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 6	5	(network NEAR2 driver NEAR2 application) SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 5	9	S271 SAME (access\$3 WITH control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 4	12	S272 AND fire\$1wall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S27 3	2	S272 AND (authorization NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 2	81	S271 AND (access\$3 WITH control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 1	129	network NEAR2 driver NEAR2 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S27 0	6	S269 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 9	55	(driver ADJ database)SAME driver SAME application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 8	11	S267 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 7	31	S266 SAME network SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 6	1116	providing WITH driver WITH application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 5	8	S264 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 4	18	S263 AND S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 3	194	S262 SAME access SAME control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S26 2	6768	network NEAR printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 1	11	S260 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S26 0	30	access\$3 resource (protected OR firewall)driver application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 9	17	S257 AND S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 8	7508	resource access control network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 7	2959	IPP OR (Internet ADJ print,ADJ protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 6	5	S251 AND S255	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 5	2494	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46
S25 4	598	driver NEAR (identifier OR ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 3	2	S252 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 2	87	S251 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S25 1	251	(sending OR providing OR transmit\$4) driver application resource (network OR device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S25 0	12	S249 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 9	86	S248 AND firewall AND network AND proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 8	18374	printer WITH driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 7	0	authomatic\$3 printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 6	11	S245 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 5	52	S244 AND firewall AND network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 4	1454	provid\$3 printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 3	41	firewall printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 2	28	firewall printer driver network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S24 1	24	S238 AND ((driver NEAR database)OR((authorization OR adminstration)NEAR2 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S240	17	S238 AND ((authorization OR adminstration)NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S239	5	S238 SAME ((authorization OR adminstration)NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S238	426	resource WITH driver WITH network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S237	5	S232 AND S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S236	9111	(709/229, 713/200,201,202). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S235	3388	S231 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S234	4	S233 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S233	31	S231 AND S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S232	199	driver ADJ database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S231	6283	(send\$3 OR provid\$3)NEAR driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S230	9	S229 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S22 9	19	send\$3 NEAR2 driver NEAR3 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 8	50	S226 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 7	5	S226 AND (network NEAR resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 6	121	(send\$3 OR transmit\$4 OR transfer\$4)WITH S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 5	1494	driver NEAR3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 4	11	S223 and (AUTHORIZATION near2 SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 3	441	S222 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 2	1993	FIREWALL PROXY SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 1	33	S220 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S22 0	67	FIREWALL PROXY SERVER AUTHORIZATION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 9	25	S217 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S21 8	9	S217 AND (709/229, 713/200, 201,202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 7	46	(client OR user) SAME (public OR Internet) SAME network SAME firewall SAME S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 6	21808	(access NEAR3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 5	46	S214 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 4	286	Network With enabled WITH printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 3	7	S207 AND S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 2	168	S211.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 1	2615	(resource NEAR3 access NEAR2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S21 0	23	S209 AND (fire\$1wall SAME proxy SAME server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 9	331	S207 AND (resource WITH access WITH control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 8	26	S206 AND S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S20 7	5175	(709/229,713/200,201,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46
S20 6	205	fire\$1wall SAME resource SAME proxy SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 5	1003	alias NEAR name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 4	124	(Network NEAR5 resource)SAME proxy SAME server SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 3	9	(Network NEAR5 resource)SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 2	4	(Network NEAR resource)SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 1	5	S200 AND (resource WITH driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S20 0	31	(US-20020078183-\$ or US-20020083340-\$ or US-20020103903-\$ or US-20020144016-\$ or US-20030014521-\$ or US-20030037126-\$ or US-20030051038-\$ or US-20010054070-\$ or US-20020040400-\$ or US-20010039587-\$).did. or (US-5580177-\$ or US-6161139-\$ or US-6182142-\$ or US-6219786-\$ or US-6317838-\$ or US-6324648-\$ or US-6377994-\$ or US-6453353-\$ or US-6728787-\$ or US-6754693-\$ or US-6763467-\$ or US-6757740-\$ or US-6742039-\$ or US-6687732-\$ or US-6662228-\$ or US-6604143-\$ or US-6584508-\$ or US-6513061-\$ or US-6345300-\$ or US-6233618-\$ or US-6138162-\$).did.	US-PGPUB; USPAT	SAME	ON	2005/09/05 14:46

S19 9	13	S198 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 8	49	resource NEAR3 (access OR control)SAME(FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 7	11	resource NEAR (access OR control)SAME(FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 6	52	S195 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 5	97	S194 and (FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 4	2494	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46
S19 3	25	S192 and FIREWALL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 2	35	S190 AND (PROXY near SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 1	8	S190 SAME PROXY near SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S19 0	301	polling NEAR server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 9	4	S180 AND S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S18 8	199	driver ADJ database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 7	16	S186 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 6	44	distribut\$3 NEAR3 driver NEAR4 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 5	9	S184 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 4	27	S182 AND S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 3	20778	(709/203,217,219,220,223,225, 226,227,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46
S18 2	91	S180 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 1	5	S180 SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S18 0	430	access NEAR3(secured OR restricted) NEAR2 (resource OR printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 9	1856	network WITH resource WITH control WITH access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 8	30	(authoriz\$5 NEAR server) SAME control SAME access SAME resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S17 7	15	(authoriz\$5 NEAR server) WITH control WITH access WITH resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 6	16	S175 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 5	57	S174 NEAR2 (device OR resource OR printer OR IPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 4	522	driver NEAR database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 3	6	((("6438586") or ("6360252") or ("5987611"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46
S17 2	6	provid\$3 WITH driver WITH (client OR terminal OR user) AND S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 1	5	(private AND public) NEAR access and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S17 0	341	S167 and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 9	21397	resource NEAR3 control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 8	18	driver NEAR application AND S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 7	2494	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46

S16 6	18	S158 AND S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 5	181	(private AND public AND authorized) NEAR access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 4	12	S163 AND (driver NEAR4 (printer OR application OR module))SAME (client OR terminal OR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 3	331	receiv\$3 WITH request WITH (terminal OR client OR node OR device) WITH (network NEAR2 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 2	17	S161 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 1	28	S158 AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S16 0	224	S159 AND (driver NEAR4 (printer OR application OR module))SAME (client OR terminal OR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S15 9	7584	resource NEAR3 (allocation OR assign\$5 OR access) NEAR4 control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S15 8	20778	(709/203,217,219,220,223,225, 226,227,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 14:46
S15 7	1	S156 AND (resource ADJ driver ADJ applications) AND (authorization ADJ server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
S15 6	3	(resource ADJ (registry OR type OR records)) AND (network ADJ resource) AND (driver ADJ database)AND (Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46

S15 5	65	Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/09/05 14:46
----------	----	---------------------------------------------------------------------------------------	---------------------------------------------------------	------	----	------------------